

Evolution of ampelographic platform in Italy

01 March 2014.

Luigi Bavaresco, Mario Pecile Carmelo Zavaglia

DOI : 10.58335/territoiresduvin.836

✉ <http://preo.ube.fr/territoiresduvin/index.php?id=836>

Le texte seul, hors citations, est utilisable sous [Licence CC BY 4.0](https://creativecommons.org/licenses/by/4.0/) (<https://creativecommons.org/licenses/by/4.0/>). Les autres éléments (illustrations, fichiers annexes importés) sont susceptibles d'être soumis à des autorisations d'usage spécifiques.

Luigi Bavaresco, Mario Pecile Carmelo Zavaglia, « Evolution of ampelographic platform in Italy », *Territoires du vin* [], 6 | 2014, 01 March 2014 and connection on 30 January 2026. Copyright : Le texte seul, hors citations, est utilisable sous [Licence CC BY 4.0](https://creativecommons.org/licenses/by/4.0/) (<https://creativecommons.org/licenses/by/4.0/>). Les autres éléments (illustrations, fichiers annexes importés) sont susceptibles d'être soumis à des autorisations d'usage spécifiques.. DOI : 10.58335/territoiresduvin.836. URL : <http://preo.ube.fr/territoiresduvin/index.php?id=836>

PREO

Evolution of ampelographic platform in Italy

Territoires du vin

01 March 2014.

6 | 2014

Territori del vino in Italia

Luigi Bavaresco, Mario Pecile Carmelo Zavaglia

DOI : 10.58335/territoiresduvin.836

☞ <http://preo.ube.fr/territoiresduvin/index.php?id=836>

Le texte seul, hors citations, est utilisable sous [Licence CC BY 4.0](https://creativecommons.org/licenses/by/4.0/) (<https://creativecommons.org/licenses/by/4.0/>). Les autres éléments (illustrations, fichiers annexes importés) sont susceptibles d'être soumis à des autorisations d'usage spécifiques.

INTRODUCTION

THE NATIONAL AND REGIONAL VINEYARDS.

THE ACREAGE FOR THE PRODUCTION OF PDO WINE

THE EVOLUTION OF ACREAGE GROWN WITH WINE PRODUCING

VARIETIES

CONCLUSION


INTRODUCTION

- 1 Grapevine cultivation in Italy can be traced back to ancient times and covered the entire peninsula adapting to a very large number of environmental conditions. Currently, compared to pre-phylloxera age, the number of cultivated varieties has certainly reduced, but still remains substantial. In fact, in the National Register of vine varieties 472 grape varieties for wine production and 129 for table grapes are recorded.
- 2 The purpose of this paper is to analyze briefly the main changes in the cultivation of vine in the period 1970 - 2010, on the grounds of official data of the decennial censuses made by ISTAT (National Insti-

tute of Statistics). In the first part data will be provided on the progress of the national and regional acreages devoted to vine for table and wine production. Due to the fact that production of table varieties is less important in comparison to wine varieties and that the table varieties grown are the more and more foreign varieties that change quickly, in the second part we will analyze the main patterns of national acreage in respect to vine varieties for wine production only.

THE NATIONAL AND REGIONAL VINEYARDS.

3 Since the early '70s, the areas under vines have had a negative trend with a sharp decline to the present day. In fact, the over 1.288.836 hectares (wine and table varieties) surveyed by ISTAT in 1970 shifted to 663.005 in 2010, a decrease of 625.831 hectares equal to 50% of the initial vine growing area. This decline has been continuous and had a higher incidence in the 70-82 decade, with the loss of about 145.300 hectares, and then in 1990-2000 decade with other 214.678 hectares that were withdrawn from the production area. The phenomenon has continued according to the last ISTAT (2000-2010) survey, but with a little slower trend, to the point that in this period only 50.000 hectares of vineyard area were lost; that is an annual quota of about 5.000 hectares, compared with more than 20.000 of the previous decade and 15.000 in the period 70-82 (Graph. A and Table 1).




REGIONS	Years									
	1970		1982		1990		2000		2010	
	Hectares	%	Hectares	%	Hectares	%	Hectares	%	Hectares	%
Piemonte	97.508	7,58	74.563	6,52	61.734	6,64	52.887	7,39	46.570	7,02
Valle d'Aosta	968	0,08	947	0,08	691	0,07	515	0,07	463	0,07
Liguria	10.831	0,85	7.378	0,65	5.279	0,57	2.391	0,33	1.565	0,24
Lombardia	35.578	2,77	30.683	2,68	25.873	2,78	22.048	3,08	23.185	3,50
Provincia Bolzano	5.476	0,42	5.157	0,45	5.086	0,55	4.809	0,67	5.291	0,80
Provincia Trento	10.919	0,85	8.709	0,76	8.587	0,92	9.051	1,26	10.386	1,57
Veneto	116.501	9,04	95.699	8,37	80.635	8,67	73.726	10,30	77.806	11,74
Friuli-Venezia Giulia	21.760	1,69	21.529	1,88	17.805	1,91	17.800	2,49	19.332	2,92
Emilia-Romagna	87.730	6,85	85.590	7,48	67.497	7,26	59.988	8,38	55.914	8,43
Toscana	121.364	9,47	89.979	7,87	70.487	7,58	58.446	8,17	59.955	9,04
Umbria	22.076	1,72	22.955	2,01	17.986	1,93	14.226	1,99	12.503	1,89
Marche	21.822	1,70	32.021	2,80	26.179	2,81	19.703	2,75	16.838	2,54
Lazio	106.154	8,61	71.207	6,23	51.362	5,52	29.524	4,13	16.798	2,53
Abruzzo	38.479	4,05	40.709	3,56	40.824	4,39	34.890	4,88	32.496	4,90
Molise	8.893	0,71	9.187	0,80	8.037	0,86	5.883	0,82	5.177	0,78
Campania	50.950	4,00	48.793	4,27	39.123	4,21	29.251	4,09	23.257	3,51
Puglia	190.487	17,80	185.044	16,18	144.533	15,54	110.434	15,43	107.187	16,17
Basilicata	16.980	1,40	18.803	1,64	13.118	1,41	8.694	1,22	5.549	0,84
Calabria	27.785	2,21	37.576	3,29	23.797	2,56	13.801	1,93	9.978	1,50
Sicilia	157.719	13,01	187.141	16,37	173.746	18,68	121.266	16,95	113.848	17,17
Sardegna	65.393	5,20	69.866	6,11	47.821	5,14	26.190	3,66	18.906	2,85
ITALY	1.215.372	100	1.143.536	100	930.200	100	715.522	100	663.005	100

Tab. 1 Trend of regional areas under vine from 1970 to 2010 (ISTAT).

4 The reasons of this reduction, which interested the whole country, are due to many factors, such as: a) the type of economic development, where the incidence of the agricultural sector on the entire


economy, from the 60s, has been gradually decreasing in respect to industry and services sectors; b) the specialization of farms whose productions have been increasingly market-oriented; c) the wine policies, at European and national level, that first encouraged the abandon of areas under vines and later promoted the conversion and renovation of existing vineyards; d) the evolution of consumer tastes that are increasingly oriented to the use of neutral and less alcoholic drinks which have certainly given a blow to consume of wine, which in turn is passed from over 100 liters. per capita of the '60 to 40 liters of today.

5 Continuing the analysis on the pattern of areas under vines in the last decade, but on a regional basis (Graph. B), we note that, especially in some regions, this has taken different and extremely positive trends in terms of increase in wine-growing areas such as the Veneto, Friuli V.G., Toscana, Lombardia and of the Provinces of Trento and Bolzano. In all other cases, the regional area planted to vineyard has been affected by a steady decline, although there were also available for these Regions incentives for preventing the abandon of wine-growing areas and to upgrade and enhance the wine production .




6 Likely the Regions mentioned above, where the wine industry was already growing due to increased demand for the products of those areas, have been able to take advantage of these measures especially in the last decade (Graph. C), and this has helped to accelerate and in some cases strengthen their supply curve. An example of this is the increase in the areas planted with the varieties Pinot Grigio and Glera in Veneto and Friuli Regions.

(Graph. C) Comparison between 2000 and 2010 censuses of vine growing areas in Regions. Total acreage (ISTAT).



7 Graph C. shows the areas under vine in 2000 and in 2010. It makes clear what earlier stated and how this increase in surface has interested primarily a well-defined wine-growing area of the Country, which includes more Regions that are almost homogeneous by climatic conditions and dedicated to the cultivation of vine varieties that give a "footprint" very significant to their wines. By contrast, in areas where occurred a sharp decline, which continued, albeit in a more subdued way even in the last decade, the autochthonous varieties have been an opportunity for a recovery of the cultivation and the same time have contributed to help preventing the erosion of the wine growing area (Graph. D).

(Graph. D) Variation in percentage of the regional acreage under vine of 2010 in respect to year 2000.




8 On such basis, one can easily deduce that the loss of potential production that has affected our country, and which will be later explained in more detail, is not necessarily the same in all varieties. In fact reduction of the size of some of them is in line with the general decline registered for the country. This is the case of Trebbiano romagnolo, Trebbiano toscano, Malvasia bianca di Candia, etc. Other varieties, however, show a sharp increase such as Glera and Pinot grigio; others a consolidation associated with a slight but continuous growth. This is what happens with some autochthonous varieties such as Aglianico, Pecorino, Fiano, Falanghina etc.

9 While Italy has seen over the last 50 years a steady erosion of areas under vines reaching in 2010 about 663.005 hectares, is also very interesting to wonder if the current acreage can be deemed to be balanced with the marketing of wine even if over the past decade it has been subject to an average annual decrease of approximately 5.000 hectares that in percentages corresponds to slightly less than 10 % of the total acreage. Most likely, given the nature of wine market and complexity of exchanges that take place on a global scale, the national vineyard, can be considered balanced for the simple reason that now the growers are specialized and have all the tools to cope with the changes of market in a relatively short time. A major obstacle that is, paradoxically, a limitation to the adaptation of production struc-

tures to the needs of the market, is represented by the EU wine policy that imposes very severe constraints on the establishment of new vineyards, with consequences that heavily condition not only the growth and diversification of global supply but also its flexibility in response to changes in the demand for the relevant wine products.

10 The graph E shows the varieties that between 2000 and 2010 increased and decreased more than 3.000 hectares. It's interesting to note that in respect to 2000 census, the increase in the total area of the 10 varieties that have increased their acreage accounts for 63.807 hectares, while it amounts to 66.835 hectares for those 10 for which the cultivated area is reducing; in practice nearly the same figure.

(Graph. E) The top ten varieties for wine production that account for an increase or reduction of more than 3.000 hectares between 2000 and 2010.



THE ACREAGE FOR THE PRODUCTION OF PDO WINE

11 Italy is one of the leading wine producing countries in the world and every year it competes with France for the first place.

12 The production of wines with a designation of origin, however, is steadily increasing and, to date, it accounts for 73 Denomination of Controlled and Guaranteed Origin (DOCG) wines, 336 Denomination

of Origin (DOC) while IGT (Typical Geographical Indication) wines are 118.


13 Italian traditional terms DOCG and DOC correspond to EU PDO (Protected Denomination of Origin) term, and IGT to PGI (Protected Geographical Indication) term also envisaged by EU regulations.

Tab.2. Trend of acreage under vine in Italy for PDO and other wines production between 2000 and 2010 (ISTAT).

REGIONS	Year 2000				Year 2010				Total	
	PDO wines		Other wines		Total		PDO wines			
	Hectares	%	Hectares	%	Hectares	%	Hectares	%	Hectares	%
Piemonte	39.436	16,9	13.196	3,0	52.632	7,8	40.989	12,8	5.328	1,7
Valle d'Aosta	225	0,1	284	0,1	509	0,1	301	0,1	162	0,1
Liguria	774	0,3	1.571	0,4	2.345	0,3	948	0,3	690	0,2
Lombardia	15.426	6,6	6.569	1,5	21.996	3,3	19.194	6,0	3.895	1,3
Prov.Bolzano	4.627	2,0	178	0,0	4.805	0,7	5.119	1,6	163	0,1
Prov.Trento	7.753	3,3	1.264	0,3	9.016	1,3	9.478	3,0	898	0,3
Veneto	33.413	14,3	40.223	9,1	73.636	10,9	56.042	17,5	21.602	7,1
Friuli-V.G.	12.936	5,5	4.820	1,1	17.755	2,6	15.177	4,7	4.073	1,3
Emilia-Rom	24.633	10,5	35.279	8,0	59.912	8,9	30.433	9,5	25.364	8,3
Toscana	34.798	14,9	23.473	5,3	58.271	8,6	40.962	12,8	18.877	6,2
Umbria	5.441	2,3	8.762	2,0	14.203	2,1	7.512	2,3	4.978	1,6
Marche	7.142	3,1	12.517	2,8	19.659	2,9	10.376	3,2	6.369	2,1
Lazio	8.691	3,7	20.290	4,6	28.971	4,3	7.072	2,2	9.329	3,1
Abruzzo	10.106	4,3	23.379	5,3	33.484	5,0	15.843	4,9	16.347	5,4
Molise	868	0,4	4.998	1,1	5.866	0,9	1.209	0,4	3.945	1,3
Campania	4.589	2,0	24.456	5,5	29.045	4,3	9.515	3,0	13.670	4,5
Puglia	9.918	4,2	75.041	17,0	84.959	12,6	23.642	7,4	59.117	19,4
Basilicata	1.316	0,6	6.392	1,4	7.708	1,1	1.583	0,5	3.278	1,1
Calabria	2.705	1,2	10.806	2,4	13.511	2,0	3.189	1,0	6.595	2,2
Sicilia	4.154	1,8	107.485	24,3	111.638	16,5	12.835	4,0	91.234	29,9
Sardegna	4.655	2,0	20.970	4,7	25.625	3,8	9.537	3,0	8.928	2,9
ITALY	233.605	100	441.940	100	675.546	100	320.859	100	304.841	100
									625.700	100

14 Comparing to 2000, the Controlled and Guaranteed Designations of Origin increased by almost three times, the Controlled Designations of Origin by 25% and the Typical Geographical Indications by 15%. The latter, while representing production of high quality that can be compared, in some respects, to the ones of the other two categories, if only for their origin and the close link with the territory, account for a significant share of Italian wine-growing area and contribute significantly to its qualification. For the purposes of the official statistics, however, so far, this category of products is included in the group of "other wines", as shown in Table 2 and Graph F below.

(Graph. F). Trend of the regional acreage for PDO and other wines production between 2000 and 2010. Percentage of the entire acreage for wine production (ISTAT).



15 Analyzing the trend of the acreage in relation to the different kinds of wines, it appears (Table 2) that there has been a significant increase in the qualification of wine production and the surface for the production of wines with Controlled Designation of Origin moved by under 35 % in 2000 to 51 % in 2010. And this demonstrates the sensibility that growers and wine makers have had to react to the spurs coming from the market and to technological innovations, with the transformation and upgrading of the productions that have affected our winemaking sector in the last two decades.

16 Going more in depth, we note that, as absolute value, the hectares of vineyards intended for qualified productions increased by 37% from 233.605 in 2000 to 320.859 in 2010, that is an increase of 87.254 hectares. It is a very important result particularly if it is compared to other types of wines whose surfaces have, however, suffered a decline in the same decade of 42 %, that is 137.099 hectares. The latter figure also includes 50.000 hectares lost with the general contraction of the wine-growing area, but it clearly shows and confirms the dynamics of production that are increasingly oriented towards the wines of high quality.

17 As to the geographical concentration of production with Controlled Designation of Origin, the highest score is northern and central Italy (73% of the total area), while in the southern Italy, between 2000 and 2010 it was registered the greatest percentage of increase that for some designations has doubled (Table 3). The phenomenon can be explained by gap existing, since the second half of the last century, between viticulture and oenology of the two areas which still now have very different socio-economic and structural characteristics.

Table 3. Trend of the regional acreage for PDO and Other wines production between 2000 and 2010 (ISTAT).

REGIONS	Year 2000				Year 2010			
	PDO wines		Other wines		Total Hectares	Doc e Docg		Other wines Hectares
	Hectares	%	Hectares	%		Hectares	%	
Piemonte	39.436	74,0	13.196	25,1	52.632	40.989	80	5.328
Valle d'Aosta	225	44,2	234	55,8	509	301	60	162
Liguria	774	33,0	1.571	67,0	2.345	848	55	690
Lombardia	15.426	70,1	6.569	29,9	21.995	19.194	83	3.895
Provincia Bolzano	4.627	96,3	178	3,7	4.805	5.119	97	163
Provincia Trento	7.753	86,0	1.264	14,0	9.016	9.478	91	598
Veneto	33.413	45,4	40.223	54,6	73.636	56.042	72	21.602
Friuli-Venezia Giulia	12.936	72,9	4.820	27,1	17.755	15.177	79	4.073
Emilia-Romagna	24.633	41,1	35.279	58,9	59.912	30.433	51	25.364
Toscana	34.798	59,7	23.473	40,3	58.271	40.962	68	18.877
Umbria	5.441	38,3	8.762	61,7	14.203	7.512	60	4.978
Marche	7.142	36,3	12.517	63,7	19.659	10.376	62	6.369
Lazio	8.691	30,0	20.280	70,0	28.971	7.072	43	9.329
Abruzzo	10.106	30,2	23.379	69,8	33.484	15.843	49	16.347
Molise	868	14,8	4.998	85,2	5.866	1.209	23	3.945
Campania	4.589	15,8	24.456	84,2	29.045	9.515	41	13.670
Puglia	9.918	11,7	75.041	88,3	84.959	23.642	29	59.117
Basilicata	1.316	17,1	6.392	82,9	7.708	1.535	19	3.278
Calabria	2.705	20,0	10.806	80,0	13.511	3.189	33	6.595
Sicilia	4.154	3,7	107.485	96,3	111.638	12.835	12	91.234
Sardegna	4.655	18,2	20.970	81,8	25.625	9.537	32	8.928
ITALY	233.605	34,6	441.940	65,4	675.546	320.859	51	304.841
								625.700

Table 3. Trend of the regional acreage for PDO and Other wines production between 2000 and 2010 (ISTAT).

18 At the level of regions, it can be seen that in over half of these (12 regions and 2 autonomous provinces) the percentage of qualified vineyards swings between 97% and 52% of their total surface, while in 7 other regions this percentage is between 30 and 50%. Only in Sicily, this percentage is low and reaches 12%. But if we think that such percentage is equal to 12.835 hectares, we note that even in this region

there was an important and significant increase of the qualified vineyards. Such surface will be set to increase over the years, given the remarkable consistency of the wine-growing area of this region.

19 A large number of varieties, both autochthonous and international, that can bring forth the best of their characteristics thanks to the peninsular territory which provides a different type of soil and climate environments, contribute to the production of this rich category of quality wines.

THE EVOLUTION OF ACREAGE GROWN WITH WINE PRODUCING VARIETIES

20 The wine grape varieties currently more grown are presented in graph G, while table 4 shows the trend of the top 20 varieties since 1970.

(Graph. G). First top 20 varieties for wine production grown in Italy according to 2010 census (ISTAT).




Table 4. First 20 wine grape varieties acreage from 1970 to 2010 (ISTAT)

VARIETY	1970	1982	1990	2000	2010
SANGIOVESE N.(1)*	87.158,41	103.944	88.320,92	70.112,06	71.668,2
CATARRATTO BIANCO (3)*	86.552,79	81.470	74.773,42	50.794,29	34.794,24
TREBBIANO TOSCANO B. (2)*	60.224,63	60.159	61.528,56	44.537,27	25.301,52
BARBERA N.	51.214,66	62.757	4.7120,92	28.366,24	20.523,58
MERLOT N.	52.961,95	48.176	31.572,3	25.615,5	28.041,7
MONTEPULCIANO N.	26.192,06	34.646	31.008,48	29.828,27	34.824,27
NEGRO AMARO N. (18)	42.622,11	38.421	31.387,14	16.759,96	11.491,6
PRIMITIVO N.	47.665,17	31.693	17.249,88	7.951,06	12.233,59
TREBBIANO ROMAGNOLO B.	22.315,56	25.828	21.257,43	20.032,84	15.893,47
CALABRESE N.	15.896,12	19.685	14.182,78	11.409,76	16.595,01
AGLIANICO N. (5)*	16.538,41	15.011	13.042,45	9.892,07	9.910,42
GARGANEGA B.	13.763,32	12.494	13.048,29	11.636,95	11.291,74
MOSCATO BIANCO B.	10.858,29	12.536	13.533,14	13.279,96	11.506,38
MALVASIA BIANCA DI CANDIA B. (20)*	20.274,06	23.795	23.152,25	8.787,52	
NERELLO (10)*	18.461,7	20.254	19.594,26		
MALVASIA BIANCA LUNGA B.	17.608,26	11.460	9.341,12		
CANNONAU N (9)*	13.840,29	15.682	12.525,34		6.347
NURAGUS B.	18.506,92	16.072			
RABOSO (13)*	13.111,36				
UVA DITROIA N	10.839,79				
ANSCHNICA B.		13.739	12.711,31	9.518,05	
DOLCETTO N		11.807	10.415,77	7.349,83	
TREBBIANO ABRUZZESE B.			11.950,79	8.693,42	
CHARDONNAY B.				11.773,06	19.709,4
GLERA (4)*				8.145,57	19.621,2
CABERNET SAUVIGNON N.				8.042,33	13.724,48
CORVINA + CORVINONE (5)*					8.406,23
SYRAH N					6.738,77
PINOT GRIGIO G.					17.281
TOTAL	676.675,86	662.019	55.8016,85	402.524,01	395.904,1
TOTAL ACREAGE	1.215.372,43	1.063.330	862.386	675.545	625.999
% ACREAGE TOP 20 VS. TOTAL	56	62	65	60	63

* See footnotes under table 5.

21 These varieties account for over half the national vineyard. Moving from 1970 to 2010 the area planted with these varieties increased 56 to 64 % compared to the total area devoted to wine grapes. Logically the list includes 29 varieties as some of them that were among the most cultivated in the early decades, later went down in the rankings, while others in the more recent decades are among the top twenty.

22 There is, however, a core of 13 varieties that fall into this group in all 5 censuses: Sangiovese, Trebbiano toscano, Catarratto (bianco e lucido) , Barbera, Merlot, Montepulciano , Negro amaro, Trebbiano romagnolo , Primitivo, Aglianico, Garganega, Calabrese and Moscato. Among these 13 varieties, only Merlot is an international variety, the others are autochthonous varieties spread across many regions (Sangiovese, Trebbiano toscano, Moscato, Montepulciano) or localized mainly in certain quality wine-growing areas: Sicily (Catarratti and Calabrese), Piedmont (Barbera) Puglia (Primitivo and Negroamaro), Basilicata

(Aglianico), Garganega (Veneto) and Trebbiano romagnolo (Emilia Romagna).

23 For all these varieties, there is a trend towards reduction since 1970 in line with the general reduction of the acreage under vine. Some of them, however, Sangiovese, Merlot, Montepulciano, Primitivo and Aglianico show a reversal of this trend in the period 2000-10, that is an increase in the area planted. The area planted with the variety Garganega is essentially stable since 1982.

24 Sangiovese steadily, from 1970 to 2010, accounts for about 10% of the national vineyard confirming its supremacy due to the wide geographical spread. Trebbiano, Barbera and Catarratti, however grown on large extent, continue to lose ground especially against more quality effective varieties. Some of the remaining top varieties showed a steady reduction: Malvasia Bianca di Candia, Malvasia bianca lunga, Dolcetto, Nerello. Others appear only in 1970 among the top 20: Uva di Troia, Raboso (Piave and Verona). Nuragus, variety grown in Sardegna, is recorded just in the censuses of 1970 and 1982; while Cannonau (together with the synonyms Alicante and Tocai rosso) is spread in Sardegna and other Regions is recovering in 2010 after a decline between 1970 and 1982. Ansonica, Dolcetto and Trebbiano abruzzese appear, as losing ground, among the top 20 between 1982 and 2000. Also interesting are the data on the varieties listed among the top 20 just in the last or the last two decades. Such varieties are expanding. Calabrese, expanding since 1990, shows between 2000 and 2010 an increase in acreage of 45% Chardonnay, during the same period, an increase of 67%, Cabernet Sauvignon 70%. Finally after 2000, among the top 20 varieties it can be found: Pinot Grigio, Corvina (and Corvinone), Glera and Syrah. Such data confirms the tendency to strengthen the quality viticulture through the expansion of the cultivation of international grapes in areas already structured for the production of quality wines and for export, and the strengthening or expansion of native grape varieties in their areas of origin always for the production of quality wines.

25 Finally the table 5 shows the data of the wine-growing areas of the first 100 varieties, among the more than 300 under cultivation. These varieties account for 75 (1970) to 90% (2010) of the viticultural heritage, so highlighting the national trend of viticulture for wine pro-

duction to the progressive reduction of the number of varieties under cultivation. We move now to some comments on the changes of vineyards of varieties which acreage is lower than that of the group of the top 20 and which expansion or reduction are more dependent on the regional outcome of the viticulture. The data of the 1970 census distinguishes the culture of vine in: "main crop" when the only culture practiced is vine, "mixed main crop" when vine is grown together with other herbaceous or woody crops but is the most important crop on the basis of the value of the annual production and in "secondary crop" when the vine is grown together with other herbaceous or woody crops but is the less important crop on the basis of the value of the annual production. In the present work the data concerning the "secondary crop" are not considered because they refer to small areas (gardens...) grown for personal use. In subsequent censuses the vineyard area is divided into areas for the production of wines with PDO and for the production of other wines.

26 A group of international varieties which acreage is growing can be emphasized. Pinot Noir has an increasing trend since 1970 mainly in areas with designations of origin. Sauvignon keeps its position with a slight increase between 1990 and 2010. It is grown for 68% in areas for wine with PDO. Similar trend is evident from the Gewürztraminer (Traminer aromatico) steadily expanding since 1970 and mainly in areas with a designation of origin of northeastern Italy. Between 2000 and 2010, nearly triples the area under cultivation. The Viognier variety recently introduced from France is classified in the Regions of Lazio, Piedmont, Sicily, Tuscany, Umbria and under observation in the Province of Bolzano. It is primarily grown for the production of wines without a protected designation of origin.

27 Then there is a group of local grape varieties that substantially keeps the area cultivated: Nebbiolo with an area of approximately 5.000 hectares. 91% of them for production of Protected Designation of Origin. The same can be said for Lambrusco salamino which acreage is 75% intended for PDO wines.

28 Ancellotta keeps its positions since 1982 equally divided between wines with Protected denomination of origin and not. Cortese is stable since 1990. Another group of native varieties shows an expansive trend. Lambrusco Maestri, grown in more Regions, after a de-

cline since 1970 is catching surfaces mainly for production of non-designation wines. Grillo, Sicilian grape variety , is expanding since 2000 mainly for the production of non PDO wines. Instead Croatina, Vermentino along with Fiano and Falanghina from Campania, Gaglioppo from Calabria and Lambrusco grasperossa grown in more regions expand mainly in areas for wines with a designation of origin. Also noteworthy is the Pecorino whose surface is even increased ten-fold between 2000 and 2010. It is cultivated in Abruzzo (mainly for non PDO wines) and Marche (usually for PDO wines). The Moscato giallo grape variety is present in many regions. Its surface area has greatly increased between 2000 and 2010. We will see in the next years if the trend continues or if it is just a momentary event.

29 Sagrantino is also growing steadily since 1970. It has tripled in the last decade its surface and is mainly cultivated in order to produce PDO wines. It is a native grape of Umbria, its main area of cultivation. Similar trend can be seen for Arneis, native grape of Piedmont, in steady expansion since 1970 mainly in areas for PDO wines. There is also a large group of varieties for which there is a reduction in the area of cultivation. Among them Carignano and Rondinella are in steady decline since 1970; Grecanico dorato Sicilian grape, after three decades of growth , decreases from 2000 to 2010.

30 Among the international grape varieties Cabernet Franc (and Carmener) and Pinot Blanc slow down.

Evolution of ampelographic platform in Italy

Table 5. More important wine varieties grown in Italy from 1970 to 2010 (ISTAT)

VARIETÀ	Main crop 1970-71		Mixed main-crop 1970-71		Total 1970-71		Other 1970-71		Total 1970-71		PDO 1970-71		Other 1970-71		Total 1970-71		PDO 1970-71		Other 1970-71		Total 1970-71	
	kg	ha	kg	ha	kg	ha	kg	ha	kg	ha	kg	ha	kg	ha	kg	ha	kg	ha	kg	ha	kg	ha
SANGIOVESE N. (Q)	45.347.06	41.61.354	187.514.81	32.71.003	71.19.000	103.844.206	21.83.004	61.812.218	33.12.020	32.111.475	37.998.449	78.112.206	42.399.716	20.269.481	11.848.220	10.21.000	10.21.000	20.269.481	11.848.220	10.21.000	10.21.000	
MONTPELCIANO N.	18.031.99	8.008.730	26.18.026	4.76.003	24.38.000	34.646.000	5.77.004	25.143.647	31.004.08	1.837.76	26.891.612	26.78.238	18.141.268	14.383.739	13.847.23	13.847.23	14.383.739	13.847.23	13.847.23	13.847.23		
CATARATTO BIANCO (Q)	76.498.73	10.035.412	86.52.78	4.449.000	75.02.000	81.47.000	3.004.48	71.78.44	74.74.73	89.483	89.483.000	50.784.260	6.395.272	33.091.001	17.484.24	17.484.24	33.091.001	17.484.24	17.484.24	17.484.24		
TERREBIANO TOSCANO B. (Q)	29.049.67	31.174.968	62.24.654	13.19.003	29.049.67	44.519.200	11.615.624	49.912.000	61.028.68	10.161.69	33.821.200	44.537.000	8.201.000	21.398.00	11.707.000	11.707.000	21.398.00	11.707.000	11.707.000	11.707.000		
MERLOT N.	45.378.94	7.081.000	28.64.000	4.327.000	39.84.000	48.17.000	5.599.116	26.73.000	31.87.000	10.149.66	25.415.000	25.415.000	15.813.24	8.214.000	8.214.000	15.813.24	8.214.000	8.214.000	8.214.000			
BARRERA N.	42.743.56	8.598.314	31.24.686	33.37.000	42.743.56	42.17.000	12.75.624	34.984.000	47.12.020	16.621.01	12.10.214	28.196.244	11.999.186	4.524.20	2.523.284	2.523.284	4.524.20	2.523.284	2.523.284	2.523.284		
CHARDONNAY N.	76	100	12.000	1.79.000	18.20.000	1.394.624	2.815.58	1.58.000	1.58.000	4.586.4	4.586.400	11.77.000	11.33.212	3.893.115	1.79.000	1.79.000	3.893.115	1.79.000	1.79.000	1.79.000		
GLERA (Q)	4.375.55	1.824.684	1.814.684	1.85.000	3.996.000	6.049.6	2.397.24	1.815.62	1.815.62	1.815.62	1.815.62	1.815.62	1.815.62	1.815.62	1.815.62	1.815.62	1.815.62	1.815.62	1.815.62			
PINOT GRIGIO G.	9.164.44	7.752	87.86	1.293.000	9.164.44	9.164.44	1.855.00	3.277.16	815.65	3.412.275	4.248.65	2.840.26	6.683.000	1.559.84	7.71.18	2.140.00	2.140.00	2.140.00	2.140.00			
CALABRESE N.	14.491.89	1.294.234	13.69.162	2.77.000	14.491.89	14.491.89	14.855.000	14.855.000	14.615.64	14.818.72	52.49	10.087.00	13.409.76	2.115.00	14.442.41	14.442.41	14.442.41	14.442.41	14.442.41	14.442.41		
TERREBIANO ROMAGNOLO B.	21.734.18	591.338	22.11.500	2.41.000	21.734.18	21.734.18	21.53.000	3.155.18	18.102.24	21.35.47	5.618.64	5.618.64	20.032.44	8.021.24	15.059.14	1.814.00	1.814.00	1.814.00	1.814.00	1.814.00	1.814.00	
CARNEFETI SAVIGNON N.	755.99	8.188	47.74	87.76	1.009.00	1.677.000	91.216	1.455.00	2.403.26	4.21.03	3.841.20	3.841.20	2.000.00	8.481.20	4.851.00	7.09.23	7.09.23	7.09.23	7.09.23	7.09.23	7.09.23	
PRIMITIVO N.	41.471.16	6.044.078	47.69.451	3.66.000	41.471.16	41.471.16	41.49.000	1.69.89	17.07.000	12.34.28	2.71.000	2.71.000	2.71.000	2.71.000	2.71.000	4.091.21	4.091.21	4.091.21	4.091.21	4.091.21	4.091.21	
MOSCIA BIANCO B.	9.387.18	1.521.113	10.38.22	1.88.75	9.387.18	9.387.18	13.51.000	10.44.02	3.093.64	13.33.144	10.867.65	2.812.26	12.27.28	3.052.000	4.442.31	11.56.213	1.521.113	1.521.113	1.521.113	1.521.113	1.521.113	1.521.113
REGGIANO ANARO (N. (19))	11.959.26	3.415.206	4.212.216	2.39.000	21.613.000	21.613.00	21.34.000	3.14.27	20.045.7	31.38.24	2.74.000	2.74.000	2.74.000	2.74.000	2.74.000	5.157.6	5.157.6	5.157.6	5.157.6	5.157.6	5.157.6	
GARGANEGA B.	11.959.08	1.802.730	13.69.25	2.12.000	5.51.000	12.44.02	7.77.78	5.27.23	13.04.28	7.14.2	3.73.27	3.73.27	13.616.85	1.291.20	2.124.21	1.291.20	1.291.20	1.291.20	1.291.20	1.291.20	1.291.20	
AGLIANICO D. (9)	6.078.17	10.691.24	13.68.41	1.39.000	1.501.000	1.501.000	1.51.000	1.01.24	12.02.28	1.43.04	2.84.000	2.84.000	2.84.000	2.84.000	2.84.000	8.992.00	1.144.61	4.401.00	8.992.00	1.144.61	4.401.00	
CORVINA + CERVINONE (Q)	2.894.86	1.835.82	47.74	47.74	2.894.86	2.894.86	5.659.00	4.13.000	34.04.20	4.97.85	1.584.82	1.584.82	281.44	2.49.17	2.51.27	1.29.17	1.29.17	1.29.17	1.29.17	1.29.17	1.29.17	
SVARNA N.	87.18	85.64	76	76	87.18	87.18	2.00	2.00	7.05	10.21	21.79	21.79	1.01.21	1.01.21	1.01.21	8.941.84	8.941.84	7.187.2	7.187.2	7.187.2	7.187.2	
CANNONAU N. (Q)	11.467.97	2.172.32	13.44.20	1.01.000	24.18.000	15.82.000	19.29.000	10.954.64	12.21.24	1.499.24	5.861.21	5.861.21	15.00.00	1.52.17	1.52.17	1.52.17	1.52.17	1.52.17	1.52.17	1.52.17		
GRILLO B.	5.74.20	1.100.354	4.07.64	87.000	5.74.20	5.74.20	4.32.000	4.32.00	4.32.00	4.32.00	1.55.04	1.55.04	1.55.04	1.55.04	1.55.04	1.55.04	1.55.04	1.55.04	1.55.04	1.55.04		
ANSANTICO B. (Q)	4.655.79	1.581.93	824.09	824.09	33.77.000	17.19.000	14.81.00	12.71.000	12.71.000	12.71.000	12.71.000	12.71.000	12.71.000	12.71.000	12.71.000	12.71.000	12.71.000	12.71.000	12.71.000			
DOLCETTO D.	48.632.81	4.81.000	42.000	4.000	7.02.000	11.87.000	4.79.06	5.85.71	1.74.000	1.74.000	1.74.000	1.74.000	1.74.000	1.74.000	1.74.000	1.74.000	1.74.000	1.74.000	1.74.000			
CROATINA N.	5.344.04	206.14	25.00.18	1.47.000	4.74.000	5.382.000	2.92.012	2.11.44	2.11.44	2.11.44	2.11.44	2.11.44	2.11.44	2.11.44	2.11.44	2.11.44	2.11.44	2.11.44	2.11.44			
NEBROIO B.	1.347.20	408.694	807.33	3.53.000	2.74.000	2.74.000	2.74.000	2.74.000	1.995.10	2.19.54	2.19.54	2.19.54	2.19.54	2.19.54	2.19.54	2.19.54	2.19.54	2.19.54	2.19.54			
TERREBIANO ABBRUZZESE B.	1.139.21	1.840.00	12.26.24	1.02.000	6.85.000	1.840.00	1.840.00	1.840.00	1.840.00	1.840.00	18.09.70	1.54.28	1.54.28	1.54.28	1.54.28	1.54.28	1.54.28	1.54.28	1.54.28	1.54.28		
VERMENTINO B. (P)	2.324.87	2.221.716	4.54.000	4.54.000	2.324.87	2.324.87	4.22.000	4.22.00	2.42.00	2.42.00	2.97.27	4.35.04	4.35.04	1.74.24	1.74.24	3.33.04	3.33.04	3.33.04	3.33.04			
PINOT NEGRON N.	1.27.73	177.76	15.00.00	4.99.000	1.27.73	1.27.73	2.14.000	2.14.00	2.14.00	2.14.00	2.14.00	2.14.00	2.14.00	2.14.00	2.14.00	3.31.00	3.31.00	3.31.00	3.31.00			
LAMBRUSCO SALAMONI N.	5.898.18	1.334.699	4.84.000	4.84.000	2.92.000	2.92.00	2.85.000	2.85.000	2.85.000	2.85.000	2.85.000	2.85.000	2.85.000	2.85.000	2.85.000	4.27.000	4.27.000	4.27.000	4.27.000			
MALVASIA BIANCA DI CANDIA B. (Q)	12.116.13	7.451.74	20.74.00	4.00.000	21.00.00	25.95.000	5.11.81	1.78.000	1.78.000	1.78.000	1.78.000	1.78.000	1.78.000	1.78.000	1.78.000	1.78.000	1.78.000	1.78.000	1.78.000			
TERREBIANO GIALLO B. (Q)	2.916.10	2.11.210	12.75.00	395.00	4.93.000	4.440.00	2.77.00	5.11.00	4.18.76	4.449.23	4.74.46	8.04.00	7.43.25	1.21.020	3.40.00	1.21.020	1.21.020	1.21.020	1.21.020	1.21.020		
ANCELLOTTO N.	2.316.85	5.713.144	3.87.27	3.84.000	5.713.00	5.713.00	4.21.000	4.21.00	4.21.00	4.21.00	4.21.00	4.21.00	4.21.00	4.21.00	4.21.00	4.21.00	4.21.00	4.21.00	4.21.00			
GALLOPPIO N.	1.781.78	2.042.570	12.04.59	2.48.000	1.781.78	1.781.78	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000	2.04.000			
GRANCANCIOROATO B.	1.593.78	1.511.220	2.48.10	2.48.10	2.79.00	2.79.00	52.54	4.64.00	4.64.00	4.64.00	4.64.00	4.64.00	4.64.00	4.64.00	4.64.00	4.64.00	4.64.00	4.64.00	4.64.00			
SUVIGNON B.	1.367.74	451.059	1.31.000	809.000	1.367.74	1.367.74	3.24.000	3.24.00	3.24.00	3.24.00	3.24.00	3.24.00	3.24.00	3.24.00	3.24.00	1.81.00	1.81.00	1.81.00	1.81.00			
VERDICCHIO (11)	3.344.84	2.244.000	4.86.000	2.83.000	3.344.84	3.344.84	5.11.000	5.11.000	5.11.000	5.11.000	5.11.000	5.11.000	5.11.000	5.11.000	5.11.000	3.34.00	3.34.00	3.34.00	3.34.00			
NEROLIO (Q)	1.362.00	2.284.000	2.284.000	2.284.000	1.362.00	1.362.00	2.28.000	2.28.000	2.28.000	2.28.000	2.28.000	2.28.000	2.28.000	2.28.000	2.28.000	1.34.00	1.34.00	1.34.00	1.34.00			

Table 5a. More important wine varieties grown in Italy from 1970 to 2010 (ISTAT).

Table 5b. More important wine varieties grown in Italy from 1970 to 2010 (ISTAT)

Le texte seul, hors citations, est utilisable sous Licence CC BY 4.0. Les autres éléments (illustrations, fichiers annexes importés) sont susceptibles d'être soumis à des autorisations d'usage spécifiques.

MOSCATO GIALLO-B-0	377,59	86,14	464,43	23,00	234,00	257,00	104,71	257,04	361,77	188,18	171,96	360,34	456,62	370,37	826,92
GRECO NERO-N-0	2.986,69	1.827,79	4.814,47	708,00	4.210,00	4.918,00	22,86	1.203,44	3.226,00	116,11	2.924,40	3.040,71	259,20	567,41	826,61
VERDUZZO-FRIULANO-B-0	1.452,03	397,82	2.049,83	707,00	1.673,00	2.910,00	606,82	1.190,51	1.797,43	609,74	1.048,64	1.615,38	354,17	635,63	805,80
TEROLDEGO-S-0	733,88	86,13	820,01	515,00	94,00	469,00	498,84	96,86	595,54	544,91	145,34	490,25	606,23	190,11	796,44
VERDECA-B-0	7.492,95	763,71	8.256,66	3.793,00	2.747,00	6.340,00	1.556,72	2.462,04	3.988,92	1.348,21	917,18	2.265,41	270,65	324,80	795,45
FRAPPATON-0	%	37,42	37,42	49,00	719,00	768,00	16,11	776,21	792,32	99,08	695,08	785,14	192,13	360,20	752,33
VERDUZZO-TREVIGIANO-B-0	2.945,69	195,56	3.140,99	550,00	1.942,00	2.492,00	494,59	1.900,46	2.735,05	289,10	1.444,60	1.734,10	94,25	614,23	708,48
PIEDROSSO-N-0	794,61	3.711,15	4.505,76	28,00	2.385,00	2.413,00	91,57	1.246,39	1.338,16	169,34	843,60	1.013,14	333,87	344,74	499,61
CESANES-(18)-0	2.785,08	3.834,92	6.621,00	694,00	3.085,00	3.779,00	438,42	1.854,11	2.292,53	285,08	806,34	1.091,42	255,24	424,13	679,37
LAGREIN-N-0	493,94	13,25	507,19	350,00	60,00	410,00	325,10	49,55	374,95	428,61	48,80	477,41	628,67	24,83	653,50
ORTUGO-B-0	203,54	16,99	214,49	63,00	206,00	269,00	219,87	160,41	380,28	370,36	155,55	525,91	529,72	81,17	610,89
MOLINARA-N-0	1.421,07	875,51	2.296,98	1.480,00	479,00	1.919,00	1.337,51	293,69	1.631,24	1.119,41	228,43	1.347,84	324,63	70,01	594,64
MALVASIA DEL-LAZIO-B-0	5.073,17	3.364,18	8.437,55	605,00	5.239,00	5.844,00	670,46	3.411,93	4.082,39	591,42	2.034,18	2.625,60	295,35	295,11	590,46
CODA DI VOLPE-BIANCA-B-0	542,41	1.332,57	1.874,98	9,00	1.311,00	1.520,00	182,46	993,54	1.176,09	151,18	875,67	1.026,85	222,68	331,97	554,65
MAGLIOCCO-CANINNO-N-0	%	4	4	545,00	2.022,00	2.567,00	10,99	1.550,40	1.561,39	76,30	540,04	616,34	87,45	451,15	538,60
MONTU-B-0	1.487,94	1.015,16	2.581,10	%	1.463,00	1.463,00	499,40	725,42	1.224,82	597,66	562,14	1.159,80	347,52	163,09	510,52
VERNACCIA DI-S-GIBIGNANO-B-0	184,66	207,89	382,24	472,00	371,00	845,00	751,81	157,31	888,32	730,46	53,45	783,91	488,04	25,72	511,76
DURELLA-B-0	657,34	422,23	1.079,53	%	924,00	924,00	408,00	577,83	986,73	408,75	314,35	721,10	342,35	126,19	469,54
RIESLING-RENATO-B-0	214,76	85,53	299,59	153,00	130,00	285,00	281,21	97,01	378,54	327,18	296,15	422,73	245,57	200,70	446,27
CABERNET FRANC-CARMENERE-(7)-0	4.340,96	556,18	4.797,08	196,00	2.317,00	2.313,00	189,46	2.246,45	2.435,91	61,98	606,76	668,75	156,26	284,01	440,27
BLANCO D'ALESSANDO-B-0	3.547,89	281,96	3.830,87	3.200,00	741,00	3.941,00	901,00	791,44	1.692,44	690,39	216,79	967,18	281,12	138,12	419,24
MALVASIA DI-LIPARI-B-0	637,05	149,04	785,09	8,00	171,00	179,04	25,88	95,77	121,65	76,85	55,88	132,73	37,30	15,60	52,80
TOTAL-FIRST-100-0	686.795,36	240.026,00	926.752,00	208.147,00	706.247,00	916.489,00	183.581,45	681.449,18	772.136,00	218.173,50	374.431,83	559.748,86	293.982,42	264.879,83	665.742,00
TOTAL-ITALY-0	810.387,62	328.847,00	1.138.440,00	289.794,00	883.836,00	1.063.330,00	190.832,00	671.634,00	862.316,00	233.486,00	441.948,00	678.641,00	220.389,00	304.849,80	626.693,00
%FIRST-100-VS-TOTAL-ITALY-0	-%	-%	76,60	-%	-%	85,26	-%	-%	89,53	-%	-%	87,30	-%	-%	98,45
Legenda (0)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(1) Sangiovese - Prugnolo Gentile - Grechetto rosso	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(2) Trebbiano Toscano - Biancane	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(4) Glera - Glera Lunga	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(5) Corvina + Corvinaone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(6) Aglianico - Aglianico del Vulture	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(7) Cabernet Franc - Carmener	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(8) Vermentino - Pigato - Favorita	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(9) Cannonau - Alicante - Tocai rosso	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(10) Nerello Cappuccio - Nerello Mascalese	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(13) Raboso Piave + Raboso Veronese	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(15) Greco + Greco bianco + Apricino	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(16) Cesanese comune + Cesanese d'Affile	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(18) Negroamaro - Negroamaro preccoso	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(19) Zibibbo - double purpose Zibibbo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(20) Malvasia bianca di Candia + Malvasia Bianca	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5c. More important wine varieties grown in Italy from 1970 to 2010 (ISTAT).

CONCLUSION

31 The changes to the acreage of the vine varieties for wine production are described by the means of the data supplied by the decennial censuses of agriculture. Availability of records concerning a period of time of 40 years allows to perceive the trends of viticulture that, obviously, are linked to those of production of wine. The national vineyard continues to shrink but at a slower pace in comparison to the past decades. Anyway such reduction, that depends also on the grape and wine producing structures and on the stiffness of the EC rules as for the enlargement of the acreage devoted to vine, affects in different ways the varieties under cultivation. Generally speaking the varieties that give back revenue, replace the less interesting under the economical point of view. The varieties more grown are the autochthonous ones. Some of them have been the same all along the decades considered. Some other are emerging since 2000 and, due to the actions for bettering the PDO of the concerned wines, are widening their growing area. The occurrence and enlargement of the

cultivation of some foreign varieties, mainly of French origin, is registered mostly in Regions where the production of PDO wines is already well established. In general the Italian viticulture strongly tends towards a steady improvement of wines obtained either by autochthonous and international varieties.

ISTAT (Istituto Nazionale di Statistica):
Censimento dell'Agricoltura Italiana:
1970, 1982, 1990, 2000, 2010.

Antonio Calò, Davide Gaeta, Carmelo Zavaglia, Moreno Antoniazzi: Evoluzione del vigneto Italia – volume II°.
Vittorio Veneto (TV), TIPSE, 2008, 407.

Gianfranco Tempesta, Monica Fiorilo, Matteo Marenghi. "Vigneto Italia". Alba, Wine pass, 2013, 66.

Bavaresco L. (2004) - Evoluzione della piattaforma ampelografica italiana. Informatore Agrario, 48: 57-59.

English

By the means of the data of the decennial censuses of agriculture it was commented the evolution of the Italian viticulture from 1970 to 2010 either as for the national and regional acreage and as for the changes of the surfaces occupied by the wine producing varieties. It continues to rely mainly on native varieties and on some quality effective foreign varieties. Italian viticulture is in general reducing its acreage but there is an increase of the surface cultivated with varieties for production of PDO wines at the expenses of varieties for production of non PDO or less appreciated wines.

Luigi Bavaresco

CRA. Consiglio per la Ricerca e la Sperimentazione in Agricoltura. Centro di Ricerca per la viticoltura. Conegliano

luigi.bavaresco@entecra.it

IDREF : <https://www.idref.fr/240407172>

ORCID : <http://orcid.org/0000-0002-1278-6587>

Mario Pecile

CRA. Consiglio per la Ricerca e la Sperimentazione in Agricoltura. Centro di Ricerca per la viticoltura. Conegliano

mario.pecile@entecra.it

Carmelo Zavaglia

CRA. Consiglio per la Ricerca e la Sperimentazione in Agricoltura. Centro di Ricerca per la viticoltura
carmelogiorgio.zavaglia@entecra.it